

DÉCLARATION DES PERFORMANCES

N° DOP001EST

1. Code unique d'identification du produit

Carreaux céramiques pressés à sec avec un niveau d'absorption d'eau $E_b \leq 0,5\%$

2. Usages prévus pour le produit

Carreaux céramiques pour la pose au mur et au sol, soit pour l'intérieur que pour l'extérieur

3. Nom et adresse du producteur

COTTO D'ESTE, via Emilia Romagna 31, 41049 Sassuolo (MO) – ITALY

4. Système d'évaluation et de vérification de la constance des performances du produit (AVCP)

Système 4

5. Nom et numéro d'identification de l'organisme notifié, si applicable

Pas applicable

6. Performances déclarées

Caractéristiques essentielles	Performance	Spécification technique harmonisée
Réaction au feu	A1 _{fl} /A1	
Dégagement des substances dangereux		
- Cadmium	NPD	
- Plomb	NPD	
Charge de rupture	≥ 1300 N	
Résistance à la flexion	≥ 35 N/mm ²	
Résistance au glissement	V. annexe ci-joint	
Tactilité	NPD	
Résistance de l'adhérence		
- Mortier colle type C1	$\geq 0,5$ N/mm ²	
- Mortier colle type C2	$\geq 1,0$ N/mm ²	
Résistance aux chocs thermiques	Résistant	
Durabilité		
- Usage intérieur	Résistant	
- Usage extérieur: résistance au gel	Résistant	

7. La performance du produit identifiée au point 1 est conforme aux performances déclarées au point 6.

La présente déclaration des performances est établie, conformément au règlement (UE) n° 305/2011, sous la seule responsabilité du producteur identifié au point 3.

Sassuolo, le 03 Avril 2025

Signé pour le fabricant et en son nom par:



Marco Levoni, Qualité Cotto d'Este



Via Emilia Romagna, 31 - 41049 Sassuolo (Mo) Italy - Tel +39 0536 814911 - Fax +39 0536 814921
cottodeste.it - info@cottodeste.it

PANARIAGROUP INDUSTRIE CERAMICHE S.p.A.

Sede Legale: Via Panaria Bassa, 22/a - 41043 Finale Emilia (Mo) Italy

Capitale Sociale Euro 22.677.645,50 int. vers. - Part. IVA, Cod. Fisc. e Iscr. Reg. Imp. di Modena n. 01865640369

Annexe à la Déclaration des Performances N. DOP001EST

COTTO D'ESTE			
Résistance au glissement			
Série	Produits	DIN EN 16165 Annex B	BCRA D.M. 236/1989
Arketipo Natural	Lumen Natural, Arena Natural, Pulvis Natural, Creta Natural, Cotto Natural	R10	$\mu > 0,40$
Arketipo Honed	Lumen Honed, Arena Honed, Pulvis Honed, Creta Honed, Cotto Honed	NPD	NPD
Arketipo Antislip IN & OUT	Lumen Antislip IN & OUT, Arena Antislip IN & OUT, Pulvis Antislip IN & OUT, Creta Antislip IN & OUT, Cotto Antislip IN & OUT	R11	$\mu > 0,40$
Arketipo Tough 20mm	Lumen Tough 20mm, Arena Tough 20mm, Pulvis Tough 20mm, Creta Tough 20mm, Cotto Tough 20mm	R11	$\mu > 0,40$
Blend Stone Naturale	Clear Nat, Light Nat, Mid Nat, Deep Nat	R10	$> 0,40$
Blend Stone Lappata	Clear Lapp, Light Lapp, Mid Lapp, Deep Lapp	NPD	NPD
Blend Stone Sabbata	Clear Sabb, Light Sabb, Mid Sabb, Deep Sabb	R11	$> 0,40$
Blend Stone Bocciardata 20mm	Clear Bocc. 20mm, Light Bocc. 20mm, Mid Bocc. 20mm, Deep Bocc. 20mm	R12	$> 0,40$
Bluestone Evolution	Rockstone Layé 20mm	R11	$> 0,40$
Buxy Lux	Cendre Lux, Amande Lux, Perle Lux, Corail Blanc Lux	NPD	NPD
Buxy Naturale	Cendre Nat, Amande Nat, Perle Nat, Corail Blanc Nat	R9	$> 0,40$
Cadore 14 mm	Alpe, Malga, Baita, Bosco	R10	$> 0,40$
Cadore 20 mm	Malga 20mm, Baita 20mm, Bosco 20mm	R11	$> 0,40$
Casali	Ca Del Bosco, Colfiorito	R9	NPD
Cement Project	Color-10 Land Nat, Color-20 Land Nat, Color-30 Land Nat	R10	$> 0,40$
Cement Project	Color-10 Land Lapp, Color-20 Land Lapp, Color-30 Land Lapp	NPD	NPD
Cement Project 20mm	Color-10 Work 20mm, Color-20 Work 20mm, Color-30 Work 20mm	R12	$> 0,40$
Cluny Adouci	Champagne Adouci, Bourgogne Adouci, Auvergne Adouci, Ardenne Adouci, Argerot Adouci	NPD	NPD
Cluny Sablè	Champagne Sablè, Bourgogne Sablè, Auvergne Sablè, Ardenne Sable, Argerot Sablè	R10	$> 0,40$
Cluny Layè	Champagne Layè 14/20 mm, Bourgogne Layè 14/20mm, Auvergne Layè 14/20mm, Argerot Layè 14/20mm, Ardenne Layè 14/20mm	R11	$> 0,40$
Elegance	Via Condotti Nat, Via Tornabuoni Nat	NPD	NPD
Exedra Silk	Calacatta Silk, Estremoz Silk, Marfil Silk, Albis Silk, Travertino Silk, Amadeus Silk, Pulpis Silk	NPD	$> 0,40$
Exedra Glossy	Calacatta Glossy, Estremoz Glossy, Marfil Glossy, Travertino Glossy, Albis Glossy, Pulpis Glossy, Amadeus	NPD	NPD



COTTO D'ESTE

Résistance au glissement

Série	Produits	DIN EN 16165 Annex B	BCRA D.M. 236/1989
	Glossy		
Limestone Honed	Clay Honed, Amber Honed, Oyster Honed, Slate Honed	NPD	NPD
Limestone Natural	Clay Natural, Amber Natural, Oyster natural, Slate Natural	R10	>0,40
Limestone Blazed	Clay Blazed, Amber Blazed, Oyster Blazed, Slate Blazed	R11	>0,40
Limestone Fiammata	Clay Fiammata 20mm, Amber Fiammata 20mm, Oyster Fiammata 20mm, Slate Fiammata 20mm	R11	>0,40
Lithos	Moon NAT, Stone NAT, Desert NAT, Carbon NAT	R10	>0,40
Lithos	Moon LAPP, Stone LAPP, Desert LAPP, Carbon LAPP	NPD	NPD
Lithos	Moon Sabbiata, Stone Sabbiata, Desert Sabbiata, Carbon Sabbiata	R11	>0,40
Lithos 20mm	Moon Bocciardata 20mm, Stone Bocciardata 20mm, Desert Bocciardata 20mm, Carbon Bocciardata 20mm	R12	>0,40
Lithos	Moon Grip, Stone Grip, Desert Grip, Carbon Grip	R12	>0,40
Materica Naturale	Bianco, Cemento, Ardesia, Avorio, Tortora	R10	>0,40 NPD (Bianco-Avorio)
Over Lux	Openspace Lux, Road Lux	NPD	NPD
Over Naturale	Openspace Nat, Road Nat	R10	>0,40
Pietra d'Iseo	Ceppo Bocciardata 20mm	R12	>0,40
Pura Honed	Ivory Honed, Sand Honed, Pearl Honed, Grey Honed	NPD	NPD
Pura Rolled	Ivory Rolled, Sand Rolled, Pearl Rolled, Grey Rolled	R11	>0,40
Pura Hammered 20mm	Ivory Hammered 20mm, Sand Hammered 20mm, Pearl Hammered 20mm, Grey Hammered 20mm	R12	>0,40
Silvis Classic	Humus Classic, Candeo Classic, Robur Classic, Cortex Classic	R9	>0,40
Stonequartz	Artic Fiammata 14/20 mm, Bergen Fiammata 14/20 mm, Nordic Fiammata 14/20mm, Oslo Fiammata 14/20mm	R11	>0,40
X-Beton	Dot-30, Dot-50, Dot- 70	R11	>0,50
X-Beton Satinata	Dot -30 Satinata, Dot-50 Satinata, Dot-70 Satinata	R10	>0,40
Secret Stone Naturale	Mystery White Nat, Precious Beige Nat, Shadow Grey Nat, Rare Dark Nat	R10	>0,40
Secret Stone Grip	Mystery White Grip, Precious Beige Grip, Shadow Grey Grip, Rare Dark Grip	R11	>0,40
Secret Stone Honed	Mystery White Honed, Precious Beige Honed, Shadow Grey Honed, Rare Dark honed	NPD	NPD
Secret Stone Bocciardata	Mystery White Bocciardata 20mm, Precious Beige	R11	>0,40



COTTO D'ESTE

Résistance au glissement

Série	Produits	DIN EN 16165 Annex B	BCRA D.M. 236/1989
20mm	Bocciardata 20mm, Shadow Grey Bocciardata 20mm, Rare Dark Bocciardata 20mm		

BLUSTYLE

Résistance au glissement

Série	Produits	DIN EN 16165 Annex B	BCRA D.M. 236/1989
Advantage Naturale	Chalk Naturale; Greige Naturale; Silver Naturale ; Graphite Naturale	R10	>0,40
Advantage Lappata	Chalk Lappata; Greige Lappata; Silver Lappata; Graphite Lappata	NPD	NPD
Advantage Grip	Chalk Grip; Greige Grip; Silver Grip; Graphite Grip	R11	>0,40
Advantage Slaty	Chalk Slaty 20mm; Greige Slaty 20mm; Silver Slaty 20mm; Graphite Slaty 20mm	R12	>0,40
Arborea	Aura, Cloe, Danae, Talia, Vesta	R9	NPD
Arborea Rustic	Vesta Rustic, Talia Rustic	R11	>0,40
Barrique	Alsace Cuvée, Provence Cuvée, Loire Cru, Rhone Cru	R10	>0,40
Blow Flat	Dust Flat, Ground Flat, Cement Flat, Smoke Flat	R11	>0,40
Blow Crust	Dust Crust, Ground Crust, Cement Crust, Smoke Crust	R11	>0,40
Blow Rough	Dust Rough 20mm, Ground Rough 20mm, Cement Rough 20mm, Smoke Rough 20mm	R11	>0,40
Blutech Perlata	Bianco Perlata, Avorio Perlata, Beige Perlata, Cenere Perlata, Cemento Perlata, Antracite Perlata	NPD	NPD
Blutech Levigata	Bianco Levigata, Avorio Levigata, Beige Levigata, Cenere Levigata, Cemento Levigata, Antracite Levigata	NPD	NPD
Blutech Lappata	Bianco Lappata, Avorio Lappata, Beige Lappata, Cenere Lappata, Cemento Lappata, Antracite Lappata	R9	NPD
Blutech Naturale	Bianco Naturale, Avorio Naturale, Beige Naturale, Cenere Naturale, Cemento Naturale, Antracite Naturale	R10	>0,40
Blutech Juta	Bianco Juta, Avorio Juta, Beige Juta, Cenere Juta, Cemento Juta, Antracite Juta	R12	>0,40
Chateau Royal Naturale	Amboise Nat, Cheverny Nat	R11	>0,40
Chateau Royal Lappata	Amboise Lappata, Cheverny Lappata	R9	>0,40
Concrete Jungle Honed	Atelier 25 Honed, Pub 49 Honed, Factory 56 Honed, Store 18 Honed	R9	>0,40
Concrete Jungle Naturale	Atelier 25 Nat, Pub 49 Nat, Factory 56 Nat, Store 18 Nat	R10	>0,40
Concrete Jungle Grip	Atelier 25 Grip 20mm, Factory 56 Grip 20mm, Store 18 Grip 20mm	R11	>0,40



Via Emilia Romagna, 31 - 41049 Sassuolo (Mo) Italy - Tel +39 0536 814911 - Fax +39 0536 814921
cottodeste.it - info@cottodeste.it

PANARIAGROUP INDUSTRIE CERAMICHE S.p.A.

Sede Legale: Via Panaria Bassa, 22/a - 41043 Finale Emilia (Mo) Italy

Capitale Sociale Euro 22.677.645,50 int. vers. - Part. IVA, Cod. Fisc. e Iscr. Reg. Imp. di Modena n. 01865640369

BLUSTYLE

Résistance au glissement

Série	Produits	DIN EN 16165 Annex B	BCRA D.M. 236/1989
Country	Creek, Aspen, Vermont, Creek-V2, Aspen-V2, Vermont-V2	R10	>0,40
Élite Natural	Calacatta Natural, Statuario Natural, Onice Royal Natural, Fior di Bosco Natural, Pietra Grey Natural, Dark Brown Natural	R9	>0,40
Élite Glossy	Calacatta Glossy, Statuario Glossy, Onice Royal Glossy, Fior di Bosco Glossy, Pietra Grey Glossy, Dark Brown Glossy	NPD	NPD
GEOS Natural	Pack Natural, Earth Natural, Coast Natural, Reef Natural	R10	μ >0,40
GEOS Honed	Pack Honed, Earth Honed, Coast Honed, Reef Honed	NPD	NPD
GEOS Grip	Pack Grip, Earth Grip, Coast Grip, Reef Grip	R11	μ >0,40
GEOS Slaty 20mm	Pack Slaty, Earth Slaty, Coast Slaty, Reef Slaty	R11	μ >0,40
Geotech Naturale	Ivory Nat, Grey Nat, Dark Nat	R9	>0,40
Geotech Lux	Ivory Lux, Grey Lux, Dark Lux	NPD	NPD
Green Wood	Oak Natural, Ash Natural, Bay Natural	R10	>0,40
Green Wood Gold	Oak Gold, Ash Gold, Bay Gold	R10	>0,40
Living Stones Naturale	Light Cream Nat, Stone Beach Nat, Basalt Grey Nat, Blue Origin Nat	R10	>0,40
Living Stones Lappata	Light Cream Lapp, Stone Beach Lapp, Basalt Grey Lapp, Blue Origin Lapp	NPD	NPD
Living Stones Grip	Light Cream Grip 20mm, Stone Beach Grip 20mm, Basalt Grey Grip 20mm, Blue Origin Grip 20mm	R11	>0,40
Marmoris Glossy	Sierra Glossy, Emperador Glossy, Palissandro Glossy, Carrara Glossy	NPD	NPD
Marmoris Silk	Siarra Silk, Emperador Silk, Palissandro Silk, Carrara Silk	NPD	NPD
Outdoor	Run Naturale, Walk Naturale, Jump Naturale	R11	>0,40
Outdoor 20mm	Run Naturale 20mm, Walk Naturale 20mm, Jump Naturale 20mm	R12	>0,40
Sandstone	Colorado, Arizona	NPD	NPD
Sandstone Outdoor	Colorado Outdoor, Arizona Outdoor	R11	>0,40
Starlight 09 Smooth	Statuario Extra Smooth, Calacatta Supreme Smooth, Versilia Gold Smooth, Onyx Pearl Smooth, Travertino Class Smooth, Dorado Glamour Smooth	NPD	NPD
Starlight 09 Glossy	Statuario Extra Glossy, Calacatta Supreme Glossy, Versilia Gold Glossy, Onyx Pearl Glossy, Travertino Class Glossy, Dorado Glamour Glossy	NPD	NPD
Toscana	Capalbio, Camaldoli	R9	>0,40
Yosemite	Lake Nat, Park Nat, Rock Nat	R10	>0,40
Yosemite	Lake Lapp, Park Lapp, Rock Lapp	NPD	NPD
Yosemite	Lake Fiammata, Park Fiammata, Rock Fiammata	R11	>0,40
Yosemite	Lake Bocciardata 20mm, Park Bocciardata 20mm, Rock	R11	>0,40



Via Emilia Romagna, 31 - 41049 Sassuolo (Mo) Italy - Tel +39 0536 814911 - Fax +39 0536 814921
cottodeste.it - info@cottodeste.it

PANARIAGROUP INDUSTRIE CERAMICHE S.p.A.

Sede Legale: Via Panaria Bassa, 22/a - 41043 Finale Emilia (Mo) Italy

Capitale Sociale Euro 22.677.645,50 int. vers. - Part. IVA, Cod. Fisc. e Iscr. Reg. Imp. di Modena n. 01865640369

BLUSTYLE

Résistance au glissement

Série	Produits	DIN EN 16165 Annex B	BCRA D.M. 236/1989
	Bocciardata 20mm		
Unica	Moon Nat, Desert Nat, Stone Nat, Carbon Nat	R10	>0,40
Unica	Moon Grip, Desert Grip, Stone Grip, Carbon Grip	R11	>0,40
Urban	Queens Nat, Manhattan Nat, Harlem Nat	R10	>0,40
Urban	Queens Lapp, Manhattan Lapp, Harlem Lapp	NPD	NPD
Urban	Queens Grip 20mm, Manhattan Grip 20mm, Harlem Grip 20mm	R11	>0,40
WOOD PLANK Soft	Chamonix Soft, Ortisei Soft, Zermatt Soft	NPD	NPD
WOOD PLANK Natural	Chamonix Natural, Ortisei Natural, Zermatt Natural	R10	$\mu > 0,40$
WOOD PLANK Grip	Chamonix Grip, Ortisei Grip, Zermatt Grip	R11	$\mu > 0,40$
WOOD PLANK Rustic 20mm	Chamonix Rustic, Ortisei Rustic, Zermatt Rustic	R11	$\mu > 0,40$



Via Emilia Romagna, 31 - 41049 Sassuolo (Mo) Italy - Tel +39 0536 814911 - Fax +39 0536 814921
cottodeste.it - info@cottodeste.it

PANARIAGROUP INDUSTRIE CERAMICHE S.p.A.

Sede Legale: Via Panaria Bassa, 22/a - 41043 Finale Emilia (Mo) Italy

Capitale Sociale Euro 22.677.645,50 int. vers. - Part. IVA, Cod. Fisc. e Iscr. Reg. Imp. di Modena n. 01865640369